

Clinical neurophysiology

PP2017

Patients with A-waves and no F-waves

_____ ¹ ² ³ O. Yağız¹

¹Neurology, ²Neurology Outpatient EMG Laboratory, Istanbul Education and Research Hospital, ³Neurology, Istanbul University Cerrahpasa Faculty of Medicine, Istanbul, Turkey

Introduction:

Results:

Conclusions:

Disclosure:

PP2018

High-frequency navigated repetitive magnetic stimulation in the treatment of central post-stroke pain

_____ *Research Center of Neurology, Russian Academy of Medical Sciences, Moscow, Russian Federation*

Introduction:

Methods:

CO

Results:

Conclusions:

Disclosure:

PP2019

Pathological findings of multimodal evoked potentials in Leber hereditary optic neuropathyI. Dejanović^{1,2} J. Jančić¹ S. Radovanović¹¹*Clinic of Neurology and Psychiatry for Children and Youth, Medical Faculty, University of Belgrade, ²Outpatient Neurological Clinic 'Apostolski', Belgrade, Serbia***Introduction:****Methods:****Results:****Conclusions:****Disclosure:**

PP2020

Sensitivity of OCT and VEPs in multiple sclerosis

	1		2		2		2
	3		2		2		2
	2		2		2		2

¹*Neurology, ²Ospedale San Raffaele, ³Ospedale Humanitas, Milano, Italy***Objectives:****Methods:****Results:****Conclusions:****Disclosure:**

PP2021

Ipsilateral motor evoked potentials to transcranial magnetic stimulation in right and left hemisphere stroke

Department of Neurology, Sechenov First Moscow State Medical University, Moscow, Russian Federation

Introduction:

Methods:

Results:

Conclusions:

Disclosure:

PP2022

Time to sustained remission of pseudobulbar affect (PBA) episodes after treatment with dextromethorphan and quinidine

Avanir Pharmaceuticals, Inc., Aliso Viejo, CA, United States

Introduction:

Methods:

Results:

Conclusion:

Disclosure:

®

PP2023

Sympathetic and cardiovascular changes induced by sodium oxybate treatment in patients with narcolepsy and cataplexy

1,2 1 2 1,2 1,2

¹Department of Biomedical and Neuromotor Sciences, University of Bologna, ²IRCCS – Institute of Neurological Sciences of Bologna, Bellaria Hospital, Bologna, Italy

Introduction:

Methods:

Results:

Conclusion:

Disclosure:

PP2024

Central motor conduction time in patients with spinocerebellar ataxia type 3

1 2 3 4
4 5
4 4 4

¹Child Neurology, Hospital Universitario La Paz, ²Anatomy, Histology and Neuroscience, Universidad Autónoma de Madrid, ³TRADESMA, IdiPaz, ⁴Neurology, Hospital Universitario La Paz, Madrid, ⁵Neurology, Hospital de Nuestra Señora de Sonsoles, Avila, Spain

Introduction:

Methods:

Results:

Conclusions:

Disclosure:

PP2025

The cutaneous silent period in essential tremor

_____ ¹ Ö. Karadaş²

¹Neurology, Kolan British Hospital, Nicosia, Cyprus,

²Neurology, Gulhane Military Medical Academy, Ankara, Turkey

Introduction:

Methods:

Results:

Conclusions:

Disclosure:

PP2026

Does peripheral small fibre neuropathy accompany psoriasis? Utility of the cutaneous silent period

İ.H. İpekdağ¹ P. Bodamyalıoğlu² Ö. Karadaş³

¹Neurology, ²Dermatology, Kolan British Hospital, Nicosia, Cyprus, ³Neurology, Gulhane Military Medical Academy, Ankara, Turkey

Introduction:

Methods:

Results:

Conclusions:

Disclosure:

PP2027

How anticipation modulates programmed responses to kinematic stimuli

1,2 _____ 3 3 3

¹Physical Medicine and Rehabilitation Department, Complutense University of Madrid, ²National School on Occupational Medicine, Instituto de Salud Carlos III, Madrid, Spain, ³Neurology, Hochzirl Hospital, Zirl, Austria

Introduction:

Methods:

Results:

Conclusions:

Disclosure:

PP2028

An atypical Guillan-Barré syndrome associated with hepatitis B infection

N. Kuloglu Pazarcı Z. Tanrıverdi,

E. Kivrak

¹st Department of Neurology, Sisli Eftal Egitim ve Arastirma Hastanesi, Istanbul, Turkey

Introduction:

Conclusions:

Disclosure:

PP2029

Using photosensor for precise recording of the stimulus onset during N400 event related potentials registration

Clinical Center Nis, Clinic of Neurology, Nis, Serbia

Background:

Objective:

Material and methods:

Results:

Conclusion:

Disclosure:

PP2030

Electrophysiological study of SCA and FRDA patients

¹Neurology, American Hospital Prishtina, Prishtina, Albania,
²Istanbul University, Medical School, Istanbul, Turkey

Introduction:

Methods:

Results:

Conclusions:

Disclosure:

PP2031

High frequency paired associative stimulation modulates the corticospinal excitability in human subjects: an EEG study

_____ 1 1 2 2 2 2 2 2
¹IRCCS Centro Neurolesi, Bonino Pulejo, ²University of Messina, Messina, Italy

Introduction:

Methods:

Results:

θ/δ α/β
 θ/δ α/β

Conclusions:

Disclosure:

PP2032

F-wave duration as a diagnostic tool in primitive restless legs syndrome

_____ 1 1 2 1 3
 3 4 5 3
 2 1

¹Sleep Disorder Center University of Cagliari, Cagliari,
²Sleep Disorder Center, University of Parma, Parma,
³Neurology UOC, University of Cagliari, ⁴DIEE, University of Cagliari, Cagliari, ⁵Dip di Neuroscienze, Università di Torino, Torino, Italy

Introduction:

Methods:

Results:

Conclusions:

Disclosure:

PP2033

Spontaneous periodic hypothermia: differential diagnosis and treatment of a very rare condition

¹₁ ²_{1 2} ¹₁ ¹₁
¹Centro Hospitalar e Universitário de Coimbra, ²Faculdade de Medicina da Universidade de Coimbra, Coimbra, Portugal

Introduction:

Case description:

Conclusion:

Disclosure:

PP2034

Part of brainstem dysfunction on migraine's course assessment

Belarusian Medical Academy of Postgraduate Education, Minsk, Belarus

Introduction:

Methods:

Results:

Conclusions:

Disclosure:

PP2035

Clinical-neurophysiological particularities of brainstem condition on hemispheric stroke into estimation of Cortixin effectivity

*Belarusian Medical Academy of Postgraduate Education,
Minsk, Belarus*

Introduction:

Methods:

Results:

Conclusions:

Disclosure:

PP2036

The situation of the EEG in a developing country (Egypt)

Ain Shams University, Cairo, Egypt

Introduction:

Methods:

Results:

Conclusions:

Disclosure:

PP2037

A new recording muscle for repetitive nerve stimulation technique: occipitofrontalis

_____ ¹ ² A. Çakır¹ A. Yıldırım¹

¹Neurology Outpatient EMG Laboratory, Istanbul Education and Research Hospital, ²Neurology, Istanbul University Cerrahpasa Faculty of Medicine, Istanbul, Turkey

PP2038

Patients with multiple A-waves

_____ ¹ ² ³ O. Yağız¹

¹Neurology, ²Neurology Outpatient EMG Laboratory, Istanbul Education and Research Hospital, ³Neurology, Istanbul University Cerrahpasa Faculty of Medicine, Istanbul, Turkey

PP2039

Current approaches to diagnosis of sensorineural hearing loss in children and meaning auditory evoked potentials

_____ ¹ ² ¹Neurology, ²Tashkent Pediatric Medical Institute, Tashkent, Uzbekistan

PP2040

Variation of median nerve latencies values after phalen maneuver

_____ ¹ ² ³ ⁴ ⁵

¹Neurology-Neurophysiology, Deutsches Hospital, Ciudad Madero, ²Hospital Piñero, ³Neurology-Neurophysiology, Deutsches Hospital, Ciudad Autónoma de Buenos Aires, ⁴Neurophysiology, Deutsches Hospital, Ciudad Autónoma de Buenos Aires, ⁵Neurology, Deutsches Hospital, Ciudad Autónoma de Buenos Aires, Argentina

PP2041

Dextromethorphan/Quinidine (DMQ) treatment significantly increased percentage of days free of pseudobulbar affect (PBA) episodes in a phase 3, randomised, placebo-controlled trial

_____ ¹ ¹Avanir Pharmaceuticals, Inc., Aliso Viejo, CA, United States

PP2042

Dextromethorphan/Quinidine for treatment of pseudobulbar affect: analysis of treatment-related adverse events

_____ ¹ ² ³ ⁴ ¹Neurology Associates, PC, Lincoln, NE, ²The Neurosciences Institute, Albany Medical Center, Albany, NY, ³Department of Neurology, University of California, San Francisco, ⁴Avanir Pharmaceuticals, Inc., Aliso Viejo, CA, United States

PP2043

Multimodal evoked potentials in monitoring the course of multiple sclerosis

_____ ¹ ² ¹Clinic of Neurology, MHAT-NHH, ²Institute of Biophysics and Biomedical Engineering, BAS, Sofia, Bulgaria

PP2044

EEG response to different odours in healthy individuals: a promising tool for objective assessment of olfactory disorders

_____ ¹ ¹ ^{1,2} ^{1,2}University Hospital Center Zagreb, ²University of Zagreb, School of Medicine, Zagreb, Croatia

PP2045

Prevalence of accessory deep peroneal nerve in patients referred to an electromyography labO. Sinanović^{1,2} S. Zukić¹ N. Pirić¹¹Department of Neurology, University Clinical Center Tuzla,²School of Medicine of University Tuzla, Tuzla, Bosnia and Herzegovina

PP2046

Intracranial metallic body artifact in routine scalp EEG

Ain Shams University, Cairo, Egypt

PP2047

Effects of acupuncture at DU 20 point on electroencephalogram

_____ ¹	_____ ²	_____ ³	_____ ⁴
5	6	6	6

¹Neurology, Baskent University, Faculty of Medicine, Ankara Teaching and Medical Research Center; ²Physiology, Baskent University, Araştırma ve Uygulama Hastanesi; ³Electrical and Electronics Engineering, Baskent University, Faculty of Engineering; ⁴Baskent University, Faculty of Medicine, Araştırma ve Uygulama Hastanesi; ⁵Baskent University, Faculty of Medicine; ⁶Baskent University Faculty of Medicine, Ankara Teaching and Medical Research Center, Ankara, Turkey

PP2048

Using occipitofrontalis muscle for repetitive nerve stimulation in myasthenia gravis patientsA. Yıldırım¹ ² M.A. Akalın³

¹Neurology, ²Neurology Outpatient EMG Laboratory, Istanbul Education and Research Hospital, ³Neurology, Istanbul University Cerrahpasa Faculty of Medicine, Istanbul, Turkey

PP2049

Visual and somatosensory evoked potentials in vitamin B12 deficiency

H.N. Güneş,

T.K. Yoldaş

Neurology, Ankara Education and Research Hospital, Ankara, Turkey